



F5 CIVIL TOWNSHIP ROURKELA
ODISHA 769004 INDIA
+91-9437047013
kausai.exports@gmail.com

WE ARE MANUFACTURERS & EXPORTER OF METAL FRAMING ACCESSORIES FOR FALSE CILINGS

That's a great summary of Sengol Exports role in the construction market! It highlights their key strengths:

- **Market Leadership:** Positioning them as a major player in the global construction industry.
- **Product Focus:** Specifying their concentration on high-performance building materials.
- **Problem-Solving Approach:** Mentioning how their solutions address challenges faced in construction, like population growth, energy efficiency, and environmental concerns.

Item	T GRID CHANNEL'S
Specification	For 2x2 Boards Ceiling Channels
Length	2ft / 4ft / 10ft / 12ft
Thickness	0.30mm
Base Metal	PPGL AZ-70/GI-120



Item	JOINTING COMPOUND
Application	For filling of gap & surface finish On fiber tape
Packing Size	20kg
Base Metal	Gypsum




Item	CEILING SECTION
Thickness	0.50 mm +/- .03mm
Length	3660 mm
Dimensions	22*49*22*3660 mm
Base Metal	GI- 120




Item	CEILING INTERMEDIATE
Thickness	0.90 mm +/- .03mm
Length	3660 mm
Dimensions	14*44*14*3660 mm
Base Metal	GI- 120




Item	CEILING PERIMETER
Thickness	0.50 mm +/- .03mm
Length	3660 mm
Dimensions	22*23*26*3660 mm
Base Metal	GI- 120




Item	CEILING ANGLE
Thickness	0.50 mm +/- .03mm
Length	3660 mm
Dimensions	10*25*3660 mm
Base Metal	GI- 120



Item	DRYWALL STUD
Thickness	0.50 mm +/- .03mm
Length	3660 mm
Dimensions	48*34*34*3660 mm
Base Metal	GI- 120



Item	DRYWALL FLOOR
Thickness	0.50 mm +/- .03mm
Length	3660 mm
Dimensions	50*32*32*3660 mm
Base Metal	GI- 120



Item	DRYWALL STAR SCREW
Specification	Star head grey phosphated
Length	25mm / 35 mm / 50 mm
Thickness	3.5 mm
Base Metal	MS



Item	SOFFIT CLEAT
Application	To hold the ceiling
Length	27 x 37 x 25
Thickness	1.6 mm
Base Metal	GI-120



Item	CONNECTING CLIP
Application	Used to connect ceiling section Intermediate channel's
Thickness	2.64 mm Ø
Base Metal	GI-120




Item	RAWL PLUG
Application	Expendable fastner to hold the Ceiling
Thickness	8mm Ø x 45mm
Base Metal	steel



Item	FIBER TAPE
Application	For easy use in all joints
Length	90mtr / 180mtr
Thickness	0.2mm +/-0.01
Base Metal	Crossed fibered paper





WE ARE REGISTERED WITH DIFFERENT GOVERNMENT ORGANISATION



MINISTRY OF COMMERCE
AND INDUSTRY
DIRECTOR GENERAL OF
FOREIGN TRADE

